


SECURE CONNECTIONS







Innovation with tradition

In 1960 the Binder company was founded as a workshop for mechanical processing and turned parts. Today the family owned Binder Group is a global company with 1200 employees and a market leader in the field of industrial circular connectors with a comprehensive product range. Ongoing investment provides the foundation for continued further development of our German designed and manufactured products.

With a reputation for quality and innovation Binder offers a standard range of over 5000 connectors including numerous designs and materials, terminating methods and locking principles. Among these are modular designs allowing multiple combinations and a high degree of flexibility.

In close cooperation with customers we develop individual customized solutions that exactly fit with the application, functionality and environment.



M5

- Threaded mating
- Solder termination
- 3-4 poles
- 125V, 1A
- IP67
- Moulded versions



M12

- Threaded mating
- Solder & screw termination
- 3-12 poles
- 30/250V, 1-8A
- IP 67/68/69K
- Moulded versions
- Shieldable



M8

- Threaded mating
- Solder & screw termination
- 3-6 poles
- 10/60V, 1.5-4A
- IP 65/67
- Moulded versions
- Shieldable versions



M16

- Threaded mating
- Solder & screw termination
- 2-24 poles
- 60/250V, 1-7A
- IP 40/67
- Moulded versions
- Shieldable



M9

- Threaded mating
- Solder termination
- 2-8 poles
- 125V, 1-4A
- IP 40/67
- Moulded versions
- Shieldable



M23

- Threaded mating
- Solder termination
- 6-19 poles
- -60/250V, 7.5-16A
- IP 67
- Shieldable



Quality and ideas

The company has a strong and growing presence in the security marketplace with generic and bespoke solutions for ANPR, CCTV, lighting, communication, access control and surveillance applications.

The portfolio includes field attachable, moulded and modular connector systems, with solder, screw and crimp terminations. Locking mechanisms include screw, bayonet, snap-in and push-pull types and connectors are available with environmental ratings from IP40 to IP69K.

With plastic and metal versions in a wide variety of sizes starting from just M5 we are able to offer cost effective solutions satisfying the most demanding requirements be it robustness, reliability, environmental resistance or tamper proofing.



RD24

- Threaded mating
- Solder, screw & crimp termination
- 3-7 poles
- 250/400V, 10-16A
- IP 67
- Moulded versions



Miniature Snap-in IP67

- Snap-in mating
- Solder termination
- 3-12 poles
- 60/250V, 2-7A
- IP 67
- Moulded versions



Subminiature Snap-in IP40

- Snap-in mating
- Solder termination
- 3-5 poles
- 60V, 3-5A
- IP 40
- Moulded versions



Micro & Miniature Push-pull

- Push-pull mating
- Solder termination
- 3-8 poles
- 125V, 1-4A
- IP 40/67
- Shieldable



Subminiature Snap-in IP67

- Snap-in mating
- Solder termination
- 3-8 poles
- 125V, 1-3A
- IP 67
- Moulded versions



Miniature Push-pull

- Push-pull mating
- Solder termination
- 2-19 poles
- 60/250V, 1-7A
- IP 67
- Shieldable



Unit D, ATA House Boundary Way Hemel Hempstead Hertfordshire HP2 7SS

Tel: +44 (0) 1442 257339 Fax: +44 (0) 1442 239545

sales@binder-connector.co.uk www.binder-connector.co.uk

